




**PRELIMINARY - NOT
FOR PRODUCTION**

COLUMN WRAP GH-DC2

EXHIBIT HALL B


ADA Scientific Sessions 2026

MORIAL CONVENTION CENTER NEW ORLEANS, LA 06/05/26 - 06/08/26

15958650

--	--

538355



	LESS THAN 30 DAYS OUT
--	-----------------------

MORE THAN 30 DAYS OUT

Freeman.

Business Development Mgr:

Client Solutions Mgr:
Stephanie Bartholomew

Designer:
Mica Cole

Detailer:

Last Saved:
11/6/2025 6:20 PM

Revision:

These original concepts and designs are sole property of FREEMAN. Any reproduction or use is prohibited without written consent of FREEMAN. © Copyright 2025 FREEMAN

File Name/Path: C:_Vault\Designs_Projects\A\Am Diabetes Assn Sci Sessions\ADA2606\Event\CAD\COLUMN WRAP GH-DC2\ADA26 COLUMN WRAP GH-DC2 L15958650 DESBW.dwg

3 of 7

PRELIMINARY - NOT
FOR PRODUCTION

COLUMN WRAP GH-DC2
EXHIBIT NAME / UNIT NAME

EXHIBIT HALL B
EXHIBIT # / UNIT LOCATION

ADA Scientific Sessions 2026
EVENT NAME

MORIAL CONVENTION CENTER
NEW ORLEANS, LA | 06/05/26 - 06/08/26
EVENT FACILITY / DATES

15958650
PASSPORT LINE ITEM #

WORK TICKET #

538355
JOB #

4'-3 1/4"

3'-2 1/16"

PLAN VIEW

Freeman.

Business Development Mgr:
Stephanie Bartholomew

Client Solutions Mgr:
Stephanie Bartholomew

Designer:
Mica Cole

Detailer:

Last Saved:
11/6/2025 6:20 PM

Revision:

These original concepts and designs are sole property of FREEMAN. Any reproduction or use is prohibited without written consent of FREEMAN. © Copyright 2025 FREEMAN

4 of 7

File Name/Path: C:_Vault\Designs_Projects\A\Am Diabetes Assn Sci Sessions\ADA2606\Event\CAD\COLUMN WRAP GH-DC2\ADA26 COLUMN WRAP GH-DC2 L15958650 DESBW.dwg

**PRELIMINARY - NOT
FOR PRODUCTION**

COLUMN WRAP GH-DC2

[illegible]

EXHIBIT HALL B

EXHIBIT # / UNIT LOCATION	DATE	TIME	TEST TYPE	TEST RESULTS	TESTER	REMARKS
1 / 101	10/10/2018	10:00	Visual	Pass	John Doe	Unit is in good condition.
2 / 102	10/10/2018	10:15	Visual	Pass	John Doe	Unit is in good condition.
3 / 103	10/10/2018	10:30	Visual	Pass	John Doe	Unit is in good condition.
4 / 104	10/10/2018	10:45	Visual	Pass	John Doe	Unit is in good condition.
5 / 105	10/10/2018	11:00	Visual	Pass	John Doe	Unit is in good condition.
6 / 106	10/10/2018	11:15	Visual	Pass	John Doe	Unit is in good condition.
7 / 107	10/10/2018	11:30	Visual	Pass	John Doe	Unit is in good condition.
8 / 108	10/10/2018	11:45	Visual	Pass	John Doe	Unit is in good condition.
9 / 109	10/10/2018	12:00	Visual	Pass	John Doe	Unit is in good condition.
10 / 110	10/10/2018	12:15	Visual	Pass	John Doe	Unit is in good condition.
11 / 111	10/10/2018	12:30	Visual	Pass	John Doe	Unit is in good condition.
12 / 112	10/10/2018	12:45	Visual	Pass	John Doe	Unit is in good condition.
13 / 113	10/10/2018	13:00	Visual	Pass	John Doe	Unit is in good condition.
14 / 114	10/10/2018	13:15	Visual	Pass	John Doe	Unit is in good condition.
15 / 115	10/10/2018	13:30	Visual	Pass	John Doe	Unit is in good condition.
16 / 116	10/10/2018	13:45	Visual	Pass	John Doe	Unit is in good condition.
17 / 117	10/10/2018	14:00	Visual	Pass	John Doe	Unit is in good condition.
18 / 118	10/10/2018	14:15	Visual	Pass	John Doe	Unit is in good condition.
19 / 119	10/10/2018	14:30	Visual	Pass	John Doe	Unit is in good condition.
20 / 120	10/10/2018	14:45	Visual	Pass	John Doe	Unit is in good condition.
21 / 121	10/10/2018	15:00	Visual	Pass	John Doe	Unit is in good condition.
22 / 122	10/10/2018	15:15	Visual	Pass	John Doe	Unit is in good condition.
23 / 123	10/10/2018	15:30	Visual	Pass	John Doe	Unit is in good condition.
24 / 124	10/10/2018	15:45	Visual	Pass	John Doe	Unit is in good condition.
25 / 125	10/10/2018	16:00	Visual	Pass	John Doe	Unit is in good condition.
26 / 126	10/10/2018	16:15	Visual	Pass	John Doe	Unit is in good condition.
27 / 127	10/10/2018	16:30	Visual	Pass	John Doe	Unit is in good condition.
28 / 128	10/10/2018	16:45	Visual	Pass	John Doe	Unit is in good condition.
29 / 129	10/10/2018	17:00	Visual	Pass	John Doe	Unit is in good condition.
30 / 130	10/10/2018	17:15	Visual	Pass	John Doe	Unit is in good condition.
31 / 131	10/10/2018	17:30	Visual	Pass	John Doe	Unit is in good condition.
32 / 132	10/10/2018	17:45	Visual	Pass	John Doe	Unit is in good condition.
33 / 133	10/10/2018	18:00	Visual	Pass	John Doe	Unit is in good condition.
34 / 134	10/10/2018	18:15	Visual	Pass	John Doe	Unit is in good condition.
35 / 135	10/10/2018	18:30	Visual	Pass	John Doe	Unit is in good condition.
36 / 136	10/10/2018	18:45	Visual	Pass	John Doe	Unit is in good condition.
37 / 137	10/10/2018	19:00	Visual	Pass	John Doe	Unit is in good condition.
38 / 138	10/10/2018	19:15	Visual	Pass	John Doe	Unit is in good condition.
39 / 139	10/10/2018	19:30	Visual	Pass	John Doe	Unit is in good condition.
40 / 140	10/10/2018	19:45	Visual	Pass	John Doe	Unit is in good condition.
41 / 141	10/10/2018	20:00	Visual	Pass	John Doe	Unit is in good condition.
42 / 142	10/10/2018	20:15	Visual	Pass	John Doe	Unit is in good condition.
43 / 143	10/10/2018	20:30	Visual	Pass	John Doe	Unit is in good condition.
44 / 144	10/10/2018	20:45	Visual	Pass	John Doe	Unit is in good condition.
45 / 145	10/10/2018	21:00	Visual	Pass	John Doe	Unit is in good condition.
46 / 146	10/10/2018	21:15	Visual	Pass	John Doe	Unit is in good condition.
47 / 147	10/10/2018	21:30	Visual	Pass	John Doe	Unit is in good condition.
48 / 148	10/10/2018	21:45	Visual	Pass	John Doe	Unit is in good condition.
49 / 149	10/10/2018	22:00	Visual	Pass	John Doe	Unit is in good condition.
50 / 150	10/10/2018	22:15	Visual	Pass	John Doe	Unit is in good condition.
51 / 151	10/					

ADA Scientific Sessions 2026

EVENT NAME	
1	100m
2	200m
3	400m
4	800m
5	1600m
6	3200m
7	6400m
8	12800m
9	25600m
10	51200m
11	102400m
12	204800m
13	409600m
14	819200m
15	1638400m
16	3276800m
17	6553600m
18	13107200m
19	26214400m
20	52428800m
21	104857600m
22	209715200m
23	419430400m
24	838860800m
25	1677721600m
26	3355443200m
27	6710886400m
28	13421772800m
29	26843545600m
30	53687091200m
31	107374182400m
32	214748364800m
33	429496729600m
34	858993459200m
35	1717986918400m
36	3435973836800m
37	6871947673600m
38	13743895347200m
39	27487790694400m
40	54975581388800m
41	109951162777600m
42	219902325555200m
43	439804651110400m
44	879609302220800m
45	1759218604441600m
46	3518437208883200m
47	7036874417766400m
48	14073748835532800m
49	28147497671065600m
50	56294995342131200m
51	112589990684262400m
52	225179981368524800m
53	450359962737049600m
54	900719925474099200m
55	1801439850948198400m
56	3602879701896396800m
57	7205759403792793600m
58	14411518807585587200m
59	28823037615171174400m
60	57646075230342348800m
61	115292150460684697600m
62	230584300921369395200m
63	461168601842738790400m
64	922337203685477580800m
65	1844674407370955161600m
66	3689348814741910323200m
67	7378697629483820646400m
68	14757395258967641292800m
69	29514790517935282585600m
70	59029581035870565171200m
71	118059162071741130342400m
72	236118324143482260684800m
73	472236648286964521369600m
74	944473296573929042739200m
75	1888946593147858085478400m
76	3777893186295716170956800m
77	7555786372591432341913600m
78	15111572745182864683827200m
79	30223145490365729367654400m
80	60446290980731458735308800m
81	120892581961462917470617600m
82	241785163922925834941235200m
83	483570327845851669882470400m
84	967140655691703339764940800m
85	1934281311383406679529881600m
86	3868562622766813359059763200m
87	7737125245533626718119526400m
88	15474250491067253436239052800m
89	30948500982134506872478105600m
90	61897001964269013744956211200m
91	123794003928538027489912422400m
92	247588007857076054979824844800m
93	495176015714152109959649689600m
94	990352031428304219919299379200m
95	1980704062856608439838598758400m
96	3961408125713216879677197516800m
97	7922816251426433759354395033600m
98	15845632502852867518708790067200m
99	31691265005705735037417580134400m
100	63382530011411470074835160268800m
101	126765060022822940149670320537600m
102	253530120045645880299340641075200m
103	5070

MORIAL CONVENTION CENTER
NEW ORLEANS, LA | 06/05/26-06/08/26

EVENT FACILITY / DATES	
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

15958650

PASSPORT LINE ITEM #

--

WORK TICKET #

538355

JOB #

ELEVATION



1

PRELIMINARY - NOT
FOR PRODUCTION

COLUMN WRAP GH-DC2
EXHIBIT NAME / UNIT NAME

EXHIBIT HALL B
EXHIBIT # / UNIT LOCATION

ADA Scientific Sessions 2026
EVENT NAME

MORIAL CONVENTION CENTER
NEW ORLEANS,LA | 06/05/26 - 06/08/26
EVENT FACILITY / DATES

15958650
PASSPORT LINE ITEM #

WORK TICKET #

538355
JOB #

PART LIST											
I.D.	Qty	Type	Size	Area (SqFt)	Part Number	Description	Material	Color	Notes	Low Inv.	Weight
	8	FLEX Acc-Pin Plate	6-13/16" x 6-13/16" x 0-7/8"	0.00	60440060	4 PIN 90 CONNECTOR	Metal	Chrome	CO901280341C		9.44
	2	FLEX Frame-Straight	12-3/16" x 117-3/16" (12.188" x 117.188")	0.00	60400017	STRAIGHT FRAME 05 HOLE X 48 HOLE	Aluminum	Silver	SF05480001		34.80
	4	FLEX Frame-Straight	39-1/16" x 117-3/16" (39.062" x 117.188")	0.00	60400044	STRAIGHT FRAME 16 HOLE X 48 HOLE	Aluminum	Silver	SF16480001		84.04
	16	FLEX Part-Connector	1-5/16" x 1-5/16" x 3-9/16"	0.00	60440047	M8 CONNECTOR	Aluminum	Silver	CO90120480066MKII		3.52
	4	Flex Insert	11-15/16" x 116-7/8"	0.00	60160021	PVC INFILL FOR STRAIGHT FRAME 05 HOLE X 48 HOLE	PVC 3MM	White	w/ Female Velcro		0.00
	2	Flex Insert	38-3/4" x 116-7/8"	0.00	60160052	PVC INFILL FOR STRAIGHT FRAME 16 HOLE X 48 HOLE	PVC 3MM	White	w/ Female Velcro		0.00
A	2	FLEX Overlay Graphic	43-11/16" x 114-11/16" (43.688" x 114.688")	69.60	<<CUSTOM>>	OVERLAY GRAPHIC FOR STRAIGHT FRAME 18 HOLE X 48 HOLE	PVC 3MM	Graphic	w/ Female Velcro		
B	2	FLEX Overlay Graphic	51-1/4" x 117-3/16" (51.25" x 117.188")	83.40	<<CUSTOM>>	OVERLAY GRAPHIC	PVC 3MM	Graphic	w/ Female Velcro		
			Total Area:	153.00						Total Weight:	131.80

Freeman.

Business Development Mgr:
Stephanie Bartholomew

Client Solutions Mgr:
Stephanie Bartholomew

Designer:
Mica Cole

Detailer:

Last Saved:
11/6/2025 6:20 PM

Revision:

These original concepts and designs are sole property of FREEMAN. Any reproduction or use is prohibited without written consent of FREEMAN. © Copyright 2025 FREEMAN

7 of 7

File Name/Path: C:_Vault\Designs_Projects\A\Am Diabetes Assn Sci Sessions\ADA2606\Event\CAD\COLUMN WRAP GH-DC2\ADA26 COLUMN WRAP GH-DC2 L15958650 DESBW.dwg